

# UW Foundation Online Giving Form

---

<b>What Is the Online Giving Form?</b> .....	<b>1</b>
<b>Creating Giving Links</b> .....	<b>2</b>
<b>Install and Control the Online Giving Form</b> .....	<b>3</b>
How to Set Up the Iframe .....	3
Automatic Resizing of the Iframe .....	4
Optional Query String Pass-Through .....	4
<b>Appendix A: Query String Parameters</b> .....	<b>6</b>
A Note About the Root URL.....	6
Add an Appeal Code .....	6
Go Directly To a Specific Tab .....	6
Show University Wide Funds .....	6
Show Funds by Department .....	7
Show Individual Funds.....	7
Show Funds by School .....	7
Show Funds by Pre-Defined Themes.....	7
Show Funds from Source by Priority .....	8
Go Directly To the “Donation Amount” Page with Funds Populated.....	8
Go Directly To the “Donation Amount” Page with Funds and Dollar Amounts Populated .....	8
Go Directly To the “Donor Information” Page with Funds and Dollar Amounts Populated .....	9
Automatically Login To the “My Gift History” Tab .....	9
Rebuild Abandoned Shopping Cart .....	10
Force Site Out of Mobile Experience.....	10
Change Background Color of Online Giving Form .....	10
Other Session Attributes Available to Set Via URL .....	10
<b>Appendix B: Version Notes</b> .....	<b>14</b>
Version 3.6.....	14
Version 3.5.....	14
Version 3.4.....	14
Version 3.3.....	14
Version 3.2.....	15

Version 3.1..... 15

Version 3.0..... 15

Version 2.12..... 16

Version 2.11..... 16

Version 2.10..... 16

Version 2.9..... 17

Version 2.8..... 17

Version 2.7..... 18

Version 2.6..... 18

Version 2.5..... 18

Version 2.4..... 19

Version 2.3..... 19

Version 2.2..... 19

Version 2.1..... 20

Version 2.0..... 20


**Payroll Deduction Online Form..... 21**

    Changing the payroll deduction form through the URL..... 21

    Go Directly To the “Donation Amount” Page with Funds Populated..... 21

# What Is the Online Giving Form?

The Online Giving Form is the UW’s web application for accepting online donations. The main portal for the form is <https://washington.edu/giving/make-a-gift>. Donors can use it to search for funds, browse for funds by department, see the current needs for a given school, college or department and they can log in to see a list of funds they’ve supported in the past. You can either [send donors to the form with a link](#) to the main UW Foundation portal, or you can [install the form onto your own website](#), so donors never have to leave your site in order to make a gift.



# Creating Giving Links

---

You can create links to the giving form and display virtually any combination of funds. Some examples of things you can do include...

- Show [Department Priority and/or Other funds](#)
- Show [any single or random group of funds](#)
- [Skip to the Donation Amount](#) or [Donor Information](#) steps with funds already in the basket
- [Pre-populate fields](#) like Name, Address, Comments, etc.
- [Add an appeal code](#) to better track your gift

[Appendix A](#) has all of the code samples you need to create links like these. If you'd like to do something but can't figure out how to do it from this document, please contact the Software Development team at [advsti@uw.edu](mailto:advsti@uw.edu).

# Install and Control the Online Giving Form

Our Online Giving Form can be loaded onto your site using an [iframe](#). You can think of an iframe as a web browser on a page. You can place it the same way you would place an image, but instead of loading an image, it loads a remote website. That lets you load the Online Giving Form so people can make their gift without ever leaving your own site.

## How to Set Up the Iframe

We've designed the iframe to be as modular and flexible as possible. To accommodate as many people using this form as possible, we've created ways for you to customize what funds people see. Let's take a look at how you can implement it on your own site.

The tag is broken into five parts...

- HTML Tag
- Base URL
- Fund Display Options
- Iframe Attributes
- JavaScript
- Error Text

You can see where these parts are below...

```
<iframe src="https://online.gifts.washington.edu/secure?source_typ=3&source=EXCELL,LIBDIS"
id="UWFOnlineGivingForm" scrolling="no" frameborder="0"
style="background:url(https://online.gifts.washington.edu/secure/resource/image/loading.gif) no-repeat 50%
80px; display: block; margin: 0 auto; min-width: 610px; height: 1400px;"
onload="try{document.domain='washington.edu'}catch(e){}">This website requires frames. Please enable
frames or update your browser.</iframe>
```

The **HTML tag** and the **base URL** portions should be left alone, but you are free to alter the **iframe attributes**, **fund options** and the **error text**. By default, the background image of the iframe is set to a loading animation that is also hosted on the UW Foundation server. The **error text** is what will be displayed in a browser that doesn't support iframes. You can also use regular html tags in this space to style your error message.

**It's suggested that the Online Giving Form width be set at 610px wide or greater (can be squeezed down to 552px wide) and the height be set to 1,400 pixels tall.** The height setting may seem large, but this is the maximum height that the form can get during the giving process. There is **JavaScript** in place (may require some configuration) that will automatically resize the iframe to fit the content of the form resulting in a much smaller footprint, but the 1400 pixels is a safe fallback. [More information about the automatic resizing can be found below.](#)

One of the sections that you will most likely want to change is the **Fund Display Options**. We have a bunch of ways to pull back groups of funds to display on the Current Needs tab of the Online Giving Form. A department's priority funds, single funds, abstract groups of funds, etc. You can read about all of the different ways to do that in [Appendix A](#). You can also choose to not have the Fund Display Options at all and the University's priorities will be listed on the Current Needs tab.

Once you've worked out your custom url and any error messages that you'd like to display, you're set to go. Just put the iframe on your website and that's all there is to it. If you have any questions feel free to contact the Software Development team at [advsti@uw.edu](mailto:advsti@uw.edu).

## Automatic Resizing of the Iframe

**If your website is on a domain that ends in "washington.edu":**

Then just make sure the page on your site which holds the online giving iframe is using HTTPS protocol and that you have the following JavaScript added to your iframe code:

```
onload="try{document.domain='washington.edu'}catch(e){}"
```

**If you're on a domain that DOES NOT end in "washington.edu":**

You'll need to copy this file...

<https://online.gifts.washington.edu/UWFoundationXDTunnel.html>

...to the **root directory** of your website. This will allow the Online Giving Form to make a cross domain JavaScript call to resize itself. You'll also need to make sure the page on your site that hold the online giving iframe is using HTTPS protocol. The technicalities of this process are outside the scope of this document, but if you have questions about how it works, please contact the Software Development team at [advsti@uw.edu](mailto:advsti@uw.edu).

**Note:** For those looking to upgrade their iframe to allow dynamic iframe resizing, you must add this line of JavaScript to your existing iframe... `onload="try{document.domain='washington.edu'}catch(e){}"`

## Optional Query String Pass-Through

If you wish to use your new page with many different Fund Display Options, you might consider building a pass-through for the url's query sting. This will allow you to add the Query String Parameters, as described in [Appendix A](#), directly to your own page which will in turn pass them to the source url of the Online Giving Form iframe. A few simple examples are given below.

```
<iframe src="https://online.gifts.washington.edu/secure?
```

**ASP:** `<% response.write request.querystring %>`

**PHP:** `<?php echo $_GET ["QUERY_STRING"] ?>`

```
" scrolling="no" frameborder="0"
```

```
style="background:url(https://online.gifts.washington.edu/secure/resource/image/loading.gif) no-repeat
```

50% 80px; display: block; margin: 0 auto; min-width: 552px; height: 1400px;"  
onload="try{document.domain='washington.edu'}catch(e){}">This website requires frames. Please enable  
frames or update your browser.</iframe>

This is the method that we use on the [UW Foundation's giving page](#). If you have any questions feel free to contact the Software Development team at [advsti@uw.edu](mailto:advsti@uw.edu).

# Appendix A: Query String Parameters

---

## A Note About the Root URL

All examples are given to the Online Giving Form's raw url. Following this link results in a redirect to the Foundation's look and feel at <https://www.washington.edu/giving/make-a-gift>. To prevent a possible flash of the screen during redirect, it is suggested that you pass these variables directly to the Foundation's default look and feel which uses a query string pass-through [as described above](#). (e.g. [https://www.washington.edu/giving/make-a-gift?source\\_typ=3&source=LIBDIS](https://www.washington.edu/giving/make-a-gift?source_typ=3&source=LIBDIS)) If you would like to do something similar with the Online Giving Form on your own website, consult your IT staff.

## Add an Appeal Code

Adds a custom appeal code to the transaction. This attribute can be added to any combination of options listed below. *Note:* The appeal code is not visible to the user. Appeal codes should also first be [set up in Advance](#).

**?Appeal=\*\*\***

Where \*\*\* is the appeal code you would like to set.

### Example

<https://online.gifts.washington.edu/secure?Appeal=XXX00>

## Go Directly To a Specific Tab

**?activateTab=\***

Where \* is the zero based index of the tab you would like to display. (Zero is the left most tab, one is the next to the right, etc.)

### Example

<https://online.gifts.washington.edu/secure?activateTab=2>

## Show University Wide Funds

Pulls the funds that are university wide priorities. Default behavior of the Online Giving Form.

**?source\_typ=1**

### Example

[https://online.gifts.washington.edu/secure?source\\_typ=1](https://online.gifts.washington.edu/secure?source_typ=1)



## Show Funds by Department

Pulls funds specific to a department.

**?source\_typ=2&source=\*\*\***

Where \*\*\* is the three character code of your units funds (get this from Advsti@uw.edu).

### Example

[https://online.gifts.washington.edu/secure?source\\_typ=2&source=EIJ](https://online.gifts.washington.edu/secure?source_typ=2&source=EIJ)

This displays the iSchool Dean's Office funds.

## Show Individual Funds

Pulls an individual fund or funds.

**?source\_typ=3&source=\*\*\*\*\***

Where \*\*\*\*\* is the allocation code for the fund you want to pull. The code is the same in Advance and Online, but only if it is "active" online will it show.

For multiple funds, comma separate the codes to be passed as a parameter. Multiple funds will be displayed in the order they appear in the url.

### Example

[https://online.gifts.washington.edu/secure?source\\_typ=3&source=LIBDIS,BUSDIS](https://online.gifts.washington.edu/secure?source_typ=3&source=LIBDIS,BUSDIS)

This displays the Libraries Discretionary Fund (LIBDIS) and the Business Discretionary Fund (BUSDIS).

## Show Funds by School

Pulls funds for a particular school or college.

**?source\_typ=4&source=\*\*\***

Where \*\*\* is the three character code of your units funds (get this from Advsti@uw.edu).

### Example

[https://online.gifts.washington.edu/secure?source\\_typ=4&source=CAJ](https://online.gifts.washington.edu/secure?source_typ=4&source=CAJ)

This displays the College of Engineering's funds.

## Show Funds by Pre-Defined Themes

**Deprecated** [Use source\\_typ=3 and comma separated funds instead.](#) ~~Pulls funds as grouped by custom code in online fund database.~~

**?source\_typ=5&source=\*\*\***

Where \*\*\* is the theme code word (get this from Advsti@uw.edu).

### Example

[https://online.gifts.washington.edu/secure/makeagift/givingOpps.aspx?source\\_typ=5&source=DENSTU](https://online.gifts.washington.edu/secure/makeagift/givingOpps.aspx?source_typ=5&source=DENSTU)

This displays Dentistry's student support funds.

## Show Funds from Source by Priority

Pulls funds from source only if they match the given priority level. This option is available when source\_typ equals 2 or 4.

**?source\_typ=\* &source=\*\*\* &priority=XXX**

Values available for XXX:

- priority – Shows all the priority funds for the source.
- nonpriority – Shows all the nonpriority funds for the source.
- all – Shows all available funds for the source.
- Numerals 1-10 (or greater in some cases) – Shows only funds with that particular priority.

### Example

[https://online.gifts.washington.edu/secure?source\\_typ=4&source=EGN&priority=1](https://online.gifts.washington.edu/secure?source_typ=4&source=EGN&priority=1)

This displays the College of the Environment priority 1 funds.

## Go Directly To the “Donation Amount” Page with Funds Populated

Proceeds directly to Donation Amount page with funds added to basket.

**?page=make&code=\*\*\*\*\***

Where \*\*\*\*\* is the allocation code of the fund you would like on the checkout page. You may also use a comma to separate multiple unlimited (within reason) funds.

### Example

<https://online.gifts.washington.edu/secure?page=make&code=LIBDIS,BUSDIS>

## Go Directly To the “Donation Amount” Page with Funds and Dollar Amounts Populated

Proceeds directly to Donation Amount page with funds and donation amounts added to basket.

**?page=make&code=\*\*\*\*\*&amount=XX**

Where \*\*\*\*\* is the allocation code and XX is the dollar amount with no dollar sign.

For multiple funds, use comma separated to correspond to comma separated allocations.

~~For multiple funds, we use amount1=xx&amount2=xx etc. to correspond to comma separated allocations.~~

**Deprecated** See new convention directly above.

### Example

<https://online.gifts.washington.edu/secure?page=make&code=LIBDIS,BUSDIS&amount=20,30>

## Go Directly To the “Donor Information” Page with Funds and Dollar Amounts Populated

Similar to above, but will automatically proceed one extra page to the Donor Information page with funds and donation amounts added to basket. If an amount is not specified for all of the funds, the donor will be taken to the Donation Amount page with the specified dollar amounts pre-populated for the indicated fund(s) and \$0 for the unspecified fund(s).

**?page=make&code=\*\*\*\*\*&amount=XX&FastForward=yes**

Where \*\*\*\*\* is the allocation code and XX is the dollar amount with no dollar sign.

For multiple funds, use comma separated to correspond to comma separated allocations.

~~For multiple funds, we use amount1=xx&amount2=xx etc. to correspond to comma separated allocations.~~

**Deprecated** See new convention directly above.

### Example

<https://online.gifts.washington.edu/secure?page=make&code=LIBDIS,BUSDIS&amount=20,30&FastForward=yes>

## Automatically Login To the “My Gift History” Tab

By passing a userHash into the query string you can automatically log them in to the “My Gift History” tab. This shows a user’s past areas of support and any open pledges if there are any.

**?userHash=XXXXXXXXXX**

Where XXXXXXXX is a self signed, MD5 hash calculated from the user’s Advance ID and a secret key. Contact Advsti@uw.edu for further information.

### Example

<https://online.gifts.washington.edu/secure?userHash=0000761649.a0856490db1686938f0a54bd35e81471>

## Rebuild Abandoned Shopping Cart

By passing a DonationID into the query string you can automatically rebuild a cart based on the saved data in the database. This should be used in conjunction with *page=make* and optionally, *FastForward=yes*.

**?DonationID= XXXXXXXXXX&page=make**

Where XXXXXXXX is a self signed, MD5 hash calculated from the user's Donation ID and a secret key. Contact [advsti@uw.edu](mailto:advsti@uw.edu) for further information.

### Example

<https://online.gifts.washington.edu/secure?DonationID=107202.a5fb067b6aba1fa3d966c2f7fd0dbd2&page=make&FastForward=yes>

## Force Site Out of Mobile Experience

If you would like to force your user to have a "full site" mobile experience pass *frame\_buster = false* in the url. By default, the online giving site will take over the parent page (calling iFrame) and go into the mobile experience.

**?frame\_buster=false**

### Example

[https://online.gifts.washington.edu/secure?frame\\_buster=false](https://online.gifts.washington.edu/secure?frame_buster=false)

## Change Background Color of Online Giving Form

You can override the background color of the Online Giving form by passing *background=\*\*\*\*\** in the url.

**?background=\*\*\*\*\***

Where \*\*\*\*\* is a 6 digit hexadecimal color value without the hash – such as *background=f2f0e4*

## Other Session Attributes Available to Set Via URL

Information on the form can be pre-populated by adding information to the url. This allows you to do things like capture information in a survey and then redirect to the donation form without requiring the donor to enter the same information twice. Contact [Advsti@uw.edu](mailto:Advsti@uw.edu) for more info. (**Note: attribute variables are case sensitive**)

### Example

<https://online.gifts.washington.edu/secure?FName=John&LName=Doe>

- DonorType
  - Possible Values

- corporation
  - individual (default)
- OrgName
- OrgDivision
- DonorID
- Name
- UserPrefix
  - Possible Values
    - Miss
    - Mr.
    - Mrs.
    - Ms.
    - Dr.
    - Prof.
    - Rev.
    - Judge
    - Senator
    - Governor
    - Representative
    - Mayor
    - Justice
    - Lt. Governor
- FName
- MName
- LName
- UserSuffix
  - Possible Values
    - D.D.S.
    - Esq.
    - II
    - III
    - IV
    - Jr.
    - M.D.
    - O.D.
    - Ph.D.
    - Pharm.D.
    - Rev. Trust
    - Sr.
- JointGift
  - Possible Values

- yes
  - no (default)
- JointPrefix
  - Possible Values
    - Miss
    - Mr.
    - Mrs.
    - Ms.
    - Dr.
    - Prof.
    - Rev.
    - Judge
    - Senator
    - Governor
    - Representative
    - Mayor
    - Justice
    - Lt. Governor
- JointFName
- JointLName
- JointMName
- JointSuffix
  - Possible Values
    - D.D.S.
    - Esq.
    - II
    - III
    - IV
    - Jr.
    - M.D.
    - O.D.
    - Ph.D.
    - Pharm.D.
    - Rev. Trust
    - Sr.
- Addr1
- Addr2
- City
- State
- Zip
- Phone

- Email
- InternationalAddress
  - Possible Values
    - yes
    - no (default)
- Country
- HonorMemory
  - Possible Values
    - honor (In Honor)
    - memory (In Memory)
- HonoreeFirstName
- HonoreeLastName
- HonoreeSuffix
- MatchingGift
  - Possible Values
    - yes
    - no (default)
- MatchingCompany
- MatchingEmployee
- PledgePayment
  - Possible Values
    - yes
    - no (default)
- RecurringGift (value must be set to yes in order to recognize RecurringDuration and RecurringGift)
  - Possible Values
    - yes
    - no (default)
- RecurringDuration (integer value, not to exceed 3 years when combined with RecurringFrequency, set to 0 for a monthly gift which does not expire)
- RecurringFrequency
  - Possible Values
    - one-time (default)
    - annually
    - quarterly
    - monthly
- RefNo
- Appeal
- Comments

# Appendix B: Version Notes

---

## Version 3.6

Launched 05/14/2018

- Deprecated HonorMemoryWhom and replaced it with:
  - HonoreeFirstName
  - HonoreeLastName
  - HonoreeSuffix
- Added new section that highlights “In Honor or In Memory”
- Added preview tribute card experience
- Added recipient notification option for memorial and tribute

## Version 3.5

Launched 10/20/2015

- New Payroll Deduction option

## Version 3.4

Launched 11/18/2014

- Refresh branding/styles
- Write funds and amounts to user’s session when users navigates from cart r back to first page via “add more funds” link
- Add optional background parameter (eg. ?background=CCCCCC)
- Show cart summary on first page of form instead of waiting to show until the user navigates to the cart page
- Deprecate ?tab= and replace with ?activateTab= (tab= maps to old order of tabs, activateTab= maps to new order of tabs)
- Update documentation regarding [recommended width and height settings](#)

## Version 3.3

Launched 11/25/2013

- Minor bug fixes
- Default to WA in state drop down
- Updated receipt language
- Include retiree option on thank you page
- Mobile experience re-vamped



## Version 3.2

### Launched 9/23/2013

- Redesigned the duration page to be more user friendly and to default to sustaining gifts
- Remove “Forever” as a duration option for recurring gifts
- Reduced the gift minimum to \$5
- Country drop down box is now vocabulary controlled from Advance values
- Prefix and suffix are being requested for a cardholder’s name
- Checkbox on payment page asking user whether credit card or ACH is corporate
- Minor design enhancements
  - “More” link for descriptions on amount page
  - Moved fund delete button to left of name
  - Reduced the UWAA real estate
- Minor bug fixes
  - Organization donors were experiencing a bug with billing name being locked
  - Defaulted to check the corporate credit card box if organization
  - Changed the email acknowledgement slightly

## Version 3.1

### Launched 12/3/2012

- Added “Forever” as a duration option for recurring gifts
- Added ability for donors to send their own email acknowledgements after making their gifts
  - Donors can type a custom message and send it to up to 5 people on UW stationary
- Added progress spinners to all continue buttons
- Updated Receipt Email to use language supplied by Connie Kravas
- Changed out of date IE warning to be IE 7 and below
- Fixed bug that would cause errors on certain search terms (Had to do with bad index when trimming descriptions)
- Various CSS updates and tweaks
- Refactored Web Services to utilize newest DBAccess class
- Added generic error email sending function to Functions class

## Version 3.0

### Launched 8/23/2012

- Converted project from .Net Web Site to .Net Web Application
- Redesigned UWAA Membership option to take up less space and expand when clicked
- Changed Name fields to require someone declare they are a person or organization first
- Added Prefix, Middle Name and Suffix (not required) to billing info for better matching in Hydra
- Started Google Analytics A/B test for showing unsolicited visitors either the Search or Current Needs tab

- Fixed bug where changing recurring gift frequency wasn't indicated in live gift summary
- Code base is now url independent

## Version 2.12

### Launched 4/18/2012

- Added UWAA membership option to Donation Amount page
  - Donors can now check a box and add either an annual or lifetime membership to UWAA
  - Recurring gifts are not available while including a UWAA membership
- Added address validation check
  - Addresses are now checked against a national database to look for typos in contact info
  - If a typo is suspected, the user is given an option to fix the error, or confirm that their entry was actually correct
- Added Google Analytics to better track usage
- Changed basket summary in sidebar to only count funds with positive dollar amounts on pages after Donation Amount page
- Changed the layout of the My Gift History tab to simplify directions
- Fixed Facebook posting link on the Thank You page
- Fixed address on mail in Gift Form PDF
- Added support for Guam, Puerto Rico, and other outlying US Territories in the State dropdown
- Now capturing Card Type at Gift Processing's request

## Version 2.11

### Launched 2/6/2012

- Added the receipt number to the Thank You page
- Switched the email function to use the central UW Foundation Email Service
- Fixed a GUI bug where logging in to My Gift History would cause the tab layout to break
- Added a logout option to the My Gift History tab
- Added a warning for when cookies are disabled on the browser
- Added a continue button to the Browse Funds modal windows
- Changed the layout of the Individual/Organization question so people will notice it
- Changed the behavior of the end of gift survey questions to make successful submission more obvious

## Version 2.10

### Launched 11/22/2011

- Added ACH (direct bank transfer) payment options to form
  - Only available as one time or monthly transactions
- Added links to matching gift search portal and Tax ID to sidebar
- Added Military state codes

- Added Tax ID and receipt number to thank you email
- Fully disabled state drop down on checkout page when info marked as same
- Fixed bug where extra commas in fast forward urls caused app to start on givingOpps page
- Fixed bug where adding inactive funds to the cart via a page=make url would break the cart
- Fixed support for [rebuilding abandoned carts](#)

## Version 2.9

### Launched 8/30/2011

- Deprecated multiple “amountX” variables for prepopulating amounts in fund basket
  - New method is comma separated values for one “amount” variable
  - Amounts correspond to similarly positioned fund in “code” variable
  - [See Appendix A for examples](#)
- Changed default behavior of links that pre-populate allocations and amounts
  - This type of link now redirects to “Donation Amount” page instead of “Donor Information” page
  - [A new flag is required to mimic old behavior](#)
- Fixed a bug that would show an error message on the Thank You page if a non English character was used in the billing information
- Patched a vulnerability that allowed people to empty their cart mid-transaction
- Fixed a bug that resulted in failed postbacks for iPhone in-app browsers
- Added remove from cart button in mobile Donation Amount page
- Added link in mobile header to Giving Opportunities page

## Version 2.8

### Launched 8/19/2011

- ~~Fixed a bug that could result in multiple Thank You and Gift Comment Notification emails being sent~~
- Fixed a redirect bug for direct links to online.gifts that would result in the page being sent back to the givingOpps page instead of staying on the advanced entry page
- Added [RecurringGift](#) parameter to allow setting up recurring gifts via url
- Added Gift Summary to mobile version of Convio checkout page
- Fixed bug that would cause error for non numeric source\_typ
- Changed Honor and Memorial to be mutually exclusive options as per Gift Processing’s request
- Now tracking user-agent to DB
- Changed “State” to a dropdown field to provide better consistency for Hydra matching
- Fixed bug that would add extra space before email validation icon
- Fixed bug on Donation Amount page that made it look like you hadn’t removed a fund from your basket
- Updated the Donation Amount page’s “Remove Fund” button to work in an AJAX manner
- Fixed a bug with the Cross Domain iFrame Tunnel that was resulting in history spam in the back button

## Version 2.7

### Launched 4/22/2011

- Fixed display bugs in mobile stylesheet
- Fixed bug in mobileLayoutToggle() function to properly trigger mobile navigation re-rendering
- Changed stored procedure for better retrieval of donor gift histories
- Logging into My Gift History now sets more information about the donor to the session, thus automatically filling out much of the Donor Information page
- Added .Net AJAX controls for logging in to Gift History, toggles on Donor Information Page and survey questions on the Thank You page
- Changed Giving Opportunities link to be included with the rest of the arrow navigation
- Added max and min widths to accommodate flexible layout of hosting websites (552 – 662px)
- Fixed bug that would not allow you to switch a gift to joint credit upon revisiting the Donor Information page
- Fixed bug that would cause multiple listing of prefixes and suffixes when changing between individual/corporation or joint/single
- Fixed incorrectly formatted company names on gift comment notification emails

## Version 2.6

### Launched 2/1/2011

- Added ability for iframe to resize itself (*Action required by user. [See new example code](#)*)
- All Active funds in Advance are now searchable (*Contact [Advsti@uw.edu](mailto:Advsti@uw.edu) for details*)
- Added tooltip to disabled continue buttons explaining that a fund must first be added and that the minimum gift is \$10
- Added tooltip definition of CVV number
- Added language to Gift History tab to indicate that Donor ID is not required to make a gift
- Added asterisks to Donor Information and Payment Information pages to indicate required fields
- Fixed IE 7 bug that made animated elements on Donation Amount page disappear
- Changed language on navigation buttons from “Proceed” to “Continue” based on user feedback
- Changed Browse link behavior
  - If there’s only one department in a school, clicking the school link will now show the department’s funds instead of sliding down

## Version 2.5

### Launched 12/14/2010

- Fixed ability to view gift history for households and all Advance entities
  - Some people were not previously able to log in even though they were in Advance
- Simplified submit button JavaScript on Payment Information page
- Source\_typ=3 links now show funds in order that they are entered into the url

- Fixed bug that improperly saved the cart to a cookie
- Fixed bug that only allowed integer dollar (no decimal) values to pre-populate the cart

## Version 2.4

### Launched 10/22/2010

- All values in the session now available to be set via url. I.E. Name, Comments, etc. [See Appendix A](#)
- Cart recreation from Donation ID (*For Internal Use. Contact Advsti@uw.edu for further information.*)
- Added informational tooltips to Donor Information page for matching gift and pledge definitions
- Added ability to [list priority and non-priority funds](#) at the same time on Current Needs tab
- Added ability to set arbitrary recurring durations
- Fixed CSS bug in Firefox 3.0 regarding media queries
- Fixed JavaScript console bug
- Minor JavaScript optimization
- Added Error Report Email

## Version 2.3

### Launched 9/7/2010

- Fixed iPhone screen size bug
- New Fund Search algorithm
- Added support for automatic recurring gifts
  - Recurring gifts can be made monthly, quarterly, or yearly
  - Durations of up to three years
- Donation ID now passed to Convio and back again
  - Session can be rebuilt on thank you page from Donation ID. Fix for IE Session Dropping

## Version 2.2

### Launched 8/2/2010

- Added Mobile Specific Stylesheet
- Donation App now available for use in iframe by Departments
  - Removed Foundation look and feel
- Removed Convio iframe in favor of Convio hosted look and feel
  - No longer necessary to nest iframes
  - Obviates Firefox bug where nested iframe form doesn't post to parent window properly
  - Sidebar content updated via JavaScript and a JSON object passed in URL
  - Convio page now handles form errors internally
- Fixed bug where second click on links with "page=make" would only go to givingOpps front page
- Fixed bug for "source\_typ=5" that wouldn't show non-priority funds
- Added new printable donation form pdf

- Added minified JavaScript and stylesheet files for faster load times

## Version 2.1

### Launched 7/2010

- Removed a bug in navigation that allowed basket to get out of sync
- Relabeled “Funds Allocation” to “Donation Amount”
- Navigation icons edited to make available links more clear
- “Proceed to Donation Amount” button disabled until there is at least one fund in the basket
- Replaced “Pay A Pledge” tab with “My Gift History” tab
  - Open pledges and past giving histories (up to 6 each) can now be looked up by donors. Donors can enter their Advance ID and Last Name to log in.
  - Past gifts to inactivated funds are automatically mapped to the new (x-ref) fund and the donor is notified
  - Customized links can be sent for automatic login
  - If a donor is logged in and they select a fund that they have an open pledge to, the “This gift is a pledge payment” option is checked by default
- Minor CSS adjustments

## Version 2.0

### Launched 4/14/2010

- All brand new checkout system!
  - Live Search
  - Better fund basket
  - AJAX functionality
  - New credit card processor
  - Many other new features!

# Payroll Deduction Online Form

---

The Payroll Deduction Online Form is the UW's web application for accepting online payroll deduction. The short URL to the form is <http://payroll.gifts.washington.edu> which will redirect you to the fully qualified URL: <https://online.gifts.washington.edu/uwnetid?payrolldeduction=yes>. This form is protected behind UWNETID authentication and will pre-fill the bio information for the person logged in. The form is intended to establish payroll deductions for current faculty/staff or others on the UW payroll. Much like the Online Giving Form, payroll deduction can be embedded in an iFrame to carry your brand.

## Changing the payroll deduction form through the URL

Much like the online giving form, the payroll deduction form can also accept URL parameters to affect changes on the page. Using the [above](#) method you can pass appeal code, allocation codes and amounts.

## Go Directly To the “Donation Amount” Page with Funds Populated

Proceeds directly to Donation Amount page with funds added to basket.

**?payrolldeduction=yes&page=make&code=\*\*\*\*\***

Where \*\*\*\*\* is the allocation code of the fund you would like on the checkout page. You may also use a comma to separate multiple unlimited (within reason) funds.

### Example

<https://online.gifts.washington.edu/uwnetid?payrolldeduction=yes&page=make&code=LIBDIS,BUSDIS>